



Index

- Absorbable surgical implants, 35
 - see also* Biodegradable...
- Acoustic streaming, 158, 159
- AIDS therapy, nanoparticles used, 132, 133
- Albumin
 - adsorption on to CaHA, 89–90
 - adsorption on to TCPS, 101, 103–4
 - nanoparticles, 132
- Alginate, disadvantages for cell encapsulation, 4
- p*-Aminohippuric acid (PAH), effect of ultrasound on release, 156–7
- Anterior cruciate ligament (ACL) substitutes, 13–14
 - fixing of, 14
- Antibiotic treatments (in surgery)
 - controlled-release, 150–3
 - perioperative, 96, 149
- Anti-inflammatory drugs
 - controlled-release systems for, 122–9
 - gastrointestinal lesions caused, 128
 - ultrasound-mediated transdermal delivery of, 157, 158
 - see also* Indomethacin
- Aortic endothelial cells, seeding of GORE-TEX grafts by, 52, 53–4
- Apo A-IV, adsorption on to PU surfaces, 92
- Atomic force microscopy (AFM), 76
 - PU surface studied, 91
- Auger electron spectroscopy, 75

- Bacterium subtilis*, effect of antibiotic on Dacron grafts, 150, 151
- Beer–Lambert equation, 87
- Biocompatibility
 - definition, 11
 - effect of chemical functional groups, 47–9
 - hyaluronic ester polymers, 165–7
 - poly-L-lactide, 8, 28
 - test methods, 164–5
- Biodegradable temporary fixation materials, 13, 21, 35
 - requirements, 143
- Biofix[®] devices, 36
- Biological substrate
 - tooth–bone implant, 30
 - intermediate layer, 31
 - see also* Collagen...composites; Endothelial cells...
- Biomer[™] (porous polyurethane)
 - calcification of, 62
 - surface studies, 80–1
- Bioprosthetic heart valve tissue
 - calcification of
 - factors affecting, 67
 - studies, 65, 66
 - specimen preparation, 63
- Bis(*p*-carboxyphenoxy)propane anhydride, copolymers with sebacic acid, enhanced erosion, 157
- Bovine endothelial cells, seeding of GORE-TEX grafts by, 52, 53
- Brain inflammation test, 165
 - biocompatibility results, 166–7
- Brij surfactants, 41–5, 132
- Bulk-equilibrium reverse dialysis sac technique, release kinetics studied by, 127
- Bursitis, treatment of, 157

- C. viscosum* lipase, 111
 - amino acid compositional analysis, 112
 - effect on trilaurin/PEA coating, 117–18
 - hydrolysis of triglycerides by, 111
 - effect of conjugation, 112–13
 - morphine conjugate, 112
 - inhibition by antibody complexation, 113
- Calcification
 - causes, 61
 - effect of hydrophilicity, 65, 66, 67
- Calcification studies, 62–8
 - in-vitro calcification
 - experimental methods, 63–4
 - results, 64–5
 - in-vivo calcification
 - experimental methods, 63, 96–7
 - results, 64, 97
 - specimen preparation, 62–3
- Calcium hydroxyapatite (CaHA), 86
 - coating on implants, 11, 16, 30, 86
 - plasma-protein adsorption on to surface, 88–90
 - synthetic preparation, 87
- Cancer therapy
 - effect of ultrasound on chemotherapy, 157
 - nanoparticles used, 132, 133
- Carbon-fiber-reinforced prostheses, 12, 13

- Cardiac prostheses
 - Dacron, 149–53
 - requirements, 96
 - silicone–polyurethane elastomer, 96–9
 - see also* Vascular prostheses
- Cardiac valve endocarditis, 149, 152
- Carrageenin edema-induction test, 124
 - effect of PLA nanocapsules, 126–7, 128–9
- Cartilage cells, implantation on polymer scaffolds, 9
- Cavitation (formation of bubbles), 159
- Cell transplantation
 - advantages, 3
 - compared with whole-organ transplantation, 3
 - synthetic polymeric structures for, 3–9
 - cell–polymer scaffolds, 7–9
 - membrane-based cell microencapsulation, 4–7
- Cellulose acetate phthalate (CAP) microspheres, 111
 - encapsulation procedure, 115
 - naltrexone release from, 111
 - SEM micrograph, 116
- Cellulose derivatives, nanoparticles, 132
- Cellulosic membranes
 - drug-delivery systems, 114
 - effect of ultrasound on diffusion of electrolytes, 159–60
- Cement disease, 12
- Cementless isoelastic hip-joint prosthesis, 12
- Centrifugal ultrafiltration technique, nanocapsule release kinetics studied by, 123, 124–5
- Chondrocyte–polymer scaffolds, 9
- Collagen–PHEMA composites, 19–20
 - compared with pure PHEMA implants, 19, 20
- Collagen–PMMA composites, 31
- Collagenous biomaterials
 - calcification studies
 - effect of water absorption, 66
 - sample preparation, 63
- Complement C3, adsorption on to PU surface, 92
- Contact-angle methods, 73–4, 75
 - LDPE/PEO surfaces examined, 43–4
- Controlled-release systems
 - antibiotics (in surgery), 150–3
 - anti-inflammatory drugs, 122–9
 - hyaluronic acid polymers used, 163, 167

- Controlled-release systems—*contd.*
 insulin delivery, 135–42
 naltrexone administration, 109–18
 ultrasonically modulated, 156–60
- Corethane, 99
- Corneal endothelial cells, seeding of
 GORE-TEX grafts by, 52, 53
- Corneal inflammation test, 164–5
 biocompatibility results, 165–6
- Crosslinking by Active Species of INert Gas (CASING), 44
- Dacron-based cardiovascular grafts
 carbon coating on, 91
 infection of, 149
 control of, 150–3
 in-vitro infection experiments
 discussion, 153
 materials and methods, 150
 results, 151
 in-vivo infection experiments
 discussion, 153
 materials and methods, 150
 results, 151–2
- Diabetes mellitus
 complications arising, 135
 glucose-sensitive insulin delivery
 systems for, 135–42
 treatments, 135
- Dialysis sac diffusion technique, release
 kinetics studied by, 127
- Diffusional transport, effect of ultra-
 sound, 159–60
- Diisopropyl aminoethyl methacrylate
 (DPA-EMA), 81
- Dimethyl aminoethyl methacrylate
 copolymer with HEMA
 biocompatibility data, 48
 insulin delivery system using,
 138–42
 swelling behavior, 136–8
- Dimethyloxetane-tetrahydrofuran
 (THF-DMOX) copolymers,
 physical properties, 60
- Drug delivery systems
 CAP used, 111, 115–18
 hyaluronic acid polymers used, 163,
 167
 indomethacin-PLA nanocapsules,
 122–9
 insulin delivery matrices, 135–42, 156
 MVE/MA copolymer used, 110–11,
 114–15
 naltrexone administration devices,
 109–18
 PCL copolymers used, 143
 responsive systems, 155
 ultrasonically modulated, 156–60
- Edema-induction test, 124
 effect of PLA nanocapsules, 126–7,
 128–9
- Electron microscopy for chemical
 analysis (ESCA), 72–3, 75
 advantages, 72
 applications
 LDPE/PEO surfaces, 42–3
 plasma-deposited films, 77–9
 polyurethane surfaces, 80–1
 derivatization used, 78
 factors affecting, 77
 reactions, 77
- Electron microscopy for chemical
 analysis—*contd.*
 information derived, 72
 schematic diagram, 73
- Endothelial cells
 action of, 51, 101
 seeding on to vascular grafts, 51–5
see also Human endothelial cells
- Environmental scanning electron micro-
 scopy (ESEM), 158
- Enzyme immunoassay (ESA), albumin/
 fibronectin determined, 103
- Externally regulated drug delivery
 systems, 155
- Extracellular matrix (ECM)
 components, 52
 endothelial cell seeding improved by,
 51–2
 glutaraldehyde treatment, 53, 54
 GORE-TEX graft surfaces coated
 with, 52–3
- Fibrin sealant, antibiotic-release in
 Dacron grafts, 150–3
- Fibrinogen adsorption
 calcium hydroxyapatite surface, 88
 effect of PEO on LDPE, 44–5
 experimental test method for, 42
 LTI carbon surface, 91
 polyurethane surface, 92
- Fibronectin
 adhesion/spreading of endothelial cells
 affected by, 106
 adsorption on polyethylene, 104–6
 adsorption on polystyrene, 101, 103–4
 hydrophobic polymers treated with,
 101, 104
 vascular grafts treated with, 52
- Fourier transform infrared/attenuated
 total reflectance (FTIR-ATR)
 spectroscopy, 75
- Gas discharge treatment, 42, 76
 effect on LDPE/PEO, 43–5
- Gastrointestinal lesions
 experimental methods of study, 123–4
 indomethacin-induced, 125–6
 reduction using liposomes, 121,
 125, 127, 128
 reduction using nanocapsules, 122,
 125–6, 127–8
- Gelatine nanoparticles, 132
- Gelfoam^R
 brain inflammation results, 166–7
 corneal inflammation results, 165
 source, 164
- Gentamicin
 controlled-release system, 150
 release kinetics, 151, 153
 tissue content at implantation sites,
 151–2
 Dacron grafts treated with, 150–3
- Giant-celled granulomatous response,
 13–14, 16
 absent in Rashel HMWPE nets, 15–16
see also Multinucleate foreign-body
 giant cells (MGC)
- Glucose oxidase
 use in insulin delivery systems, 136
 reaction kinetics, 141–2
 swelling behavior of hydrogels, 138
- Glucose-sensitive insulin delivery
 systems, 135–42
see also Insulin delivery systems
- GORE-TEX vascular grafts, ECM-
 coated, 52–5
- Hanes-Woolf plot, 113
- Hard-tissue replacement,
 poly(HEMA)-collagen composite
 used, 19–20
- Heart valve prosthesis,
 silicone-polyurethane elastomer
 used, 96–9
- Hemopexin, adsorption on to PU surface,
 92
- Hepatocyte-polymer scaffolds, 8–9
- Heroin addiction treatment, 109
 delivery devices for, 110–18
- High-molecular-weight polyethylene
 (HMWPE)
 braid, 13–14
 net, 14–16
- HIV-1-infected human macrophages,
 nanoparticles taken up, 133
- Human endothelial cells (HEC)
 action of, 101
 interaction with polyethylene, 104–5
 interaction with polystyrene, 103–4
- Human serum albumin (HSA),
 adsorption on to TCPS, 103–4
- Hyaluronic acid polymers, drug delivery
 systems using, 163
- Hyaluronic ester polymers, 164
 biocompatibility, 165–7
- Hydrocortisone treatment
 effect of ultrasound, 157
 hyaluronic acid polymers used in
 delivery, 163
- Hydrophilic polyurethane foams
 calcification affected by water absorp-
 tion, 66
 sample preparation, 63
- Hydrophilicity
 calcification affected by, 65, 66, 67
 HEC adhesion/spreading affected by,
 101, 104
- Hydroxyapatite-coated implants, 11, 16,
 30
- 1,1-Hydroxyethylidene biphosphonic acid
 (HEBP), calcification of PU
 inhibited by, 66
- Hypol foams
 calcification affected by water absorp-
 tion, 66
 sample preparation, 63
- Immunoglobulins
 adsorption on to CaHA surfaces, 90
 adsorption on to polyethylene, 104,
 105
 adsorption on to PU surfaces, 92
- Indomethacin
 gastrointestinal lesions induced
 experimental methods, 123–4
 results, 125–6
 transdermal permeation affected by
 ultrasound, 158
- Indomethacin-PLA nanocapsules, 122–9
 analytical evaluation, 123
 anti-inflammatory activity, 126–7,
 128–9
 evaluation method used, 124

- Indomethacin-PLA nanocapsules—*contd.*
 in-vitro release kinetics, 123, 124–5, 127
 preparation, 122–3
- Infrared (IR) spectroscopy, 75
- Insulin delivery systems, 135–42
 matrix system for, 136
 polymers used, 136, 156
 swelling behavior, 136–8
 release kinetics, 140–2
 ultrasound used, 156, 157
- Interface membranes, orthopaedic implants, 11–12, 13, 16
- Intermediate layers, tooth implants, 31
- Inulin, transdermal permeation affected by ultrasound, 158
- Knee joints, polyethylene braid used in treatment, 13–14
- Lipase, use in controlled-release device, 111–13
- Liposomes, 121
 gastrointestinal lesions reduced using, 121, 125, 127, 128
- Liver cells, implantation on polymer scaffolds, 8–9
- Local fluid accumulation (LFA), reaction to SR-PGA implants, 38
- Loosening (of implants), causes, 12, 29
- Low-density polyethylene (LDPE), non-fouling surface treatment of, 41–5
- Low-temperature isotropic (LTI) carbon applications, 86
 plasma-protein adsorption on to surface, 90–1
 sample preparation, 87
- Macrophage fusion, 13–14
 effect of chemical functional groups, 47–9
- Mandibular fractures, PLA plates and screws used in treatment, 22–3, 25–6
- D-Mannitol, transdermal permeation affected by ultrasound, 158
- Maxillofacial traumatology, PLA plates/screws used, 21–8
- Membrane-based cell micro-encapsulation, 4–7
 characterization of polymer, 5
 encapsulation techniques, 6–7
 polymer synthesis, 4–5
 toxicity of polymers, 5–6
- Metallic implants, disadvantages, 13, 21
- Methyl vinyl ether/maleic anhydride copolymers, drug release by erosion, 110–11, 114–15
- 6-Methylmorpholine-2,5-dione, copolymer with lactide, 144, 145
- Michaelis-Menten kinetics, glucose oxidase, 141–2
- Mitoxanthrone-loaded nanoparticles, 132
- Monoclonal antibodies, 102
 F(ab')₂ fragments, 102
 platelet adhesion prevented by using, 105
 polyethylene treated with, 105, 106
- Monoclonal antibodies—*contd.*
 polyethylene treated with, 104–6
- Morphine-triggered naltrexone-delivery system, 109–18
- Morpholine-2,5-diones, ring-opening polymerization, 144
- Multinucleate foreign-body giant cells (MGC), 47
- Naltrexone administration, 109
 delivery system for, 109–18
 components, 109, 110
 development of devices, 114–18
 enzyme-degradable protective coating, 109, 110, 111
 macroporous membrane, 110, 113–14
 rapid-delivery devices, 110, 115–18
 rate-controlling bio-erodible polymer, 109, 110–11
 reversibly inactivated enzyme, 109, 110, 111–13
 sustained-delivery devices, 110, 114–15
- Nanocapsules, 121–2
 polyalkylcyanoacrylate, 122
 poly-D,L-lactide, 122–9
 anti-inflammatory activity
 evaluation, 124, 126–7, 128–9
 in-vitro release kinetics, 123, 124–5, 127
 preparation, 122–3
- Nanoparticles, 121, 131
 advantages, 121, 131
 effect of coatings on body distribution, 41, 131–3
 indomethacin-loaded, 121–9
 polymers used, 122, 132
 surfactant-coated, 132–3
- p*-Nitroaniline, effect of ultrasound on release, 156
- Non-fouling surfaces
 adsorption/desorption process, 42
 gas discharge treatment, 42
 importance, 41
 materials, 41–2
 surface analyses, 42
- Non-steroidal anti-inflammatory drugs
 gastrointestinal lesions caused, 128
see also Anti-inflammatory drugs;
 Indomethacin
- Non-woven manufacture, vascular grafts, 96
- Orthopedic implants
 aseptic loosening of, 12
 tissue reaction to, 11–16
- Oxetane-tetrahydrofuran (THF-OX) copolymers, physical properties, 60
- Oxygen diffusion, effect of ultrasound, 159
- Pellethanes (polyurethanes)
 calcification studies for films, 64, 65
 fiber spinning with, 96
- PEO1K homopolymer, 42
- Percutaneous absorption, effect of ultrasound, 159
- Periodontal ligament, 30
- Perioperative antibiotic treatment, 96, 149
 failure, 149
- Phonophoresis, 157–8
- Physostigmine, transdermal permeation affected by ultrasound, 158
- Plasma-deposited films
 advantages in biomedical applications, 72
 preparation, 77
 surface analysis, 77–80
 ESCA used, 77–9
 SIMS used, 79–80
- Plasma-protein adsorption, 85–93
 CaHA surface, 88–90
 LTI carbon surface, 90–1
 PU surface, 91–2
- Poloxamer, nanocapsule/nanoparticle preparation using, 122, 132
- Poloxamine surfactants, nanoparticle preparation using, 132, 133
- Polyacetal hip-joint prosthesis, 12
- Polyacrylamide gel electrophoresis (PAGE)
 advantages/disadvantages of 2-D technique, 86, 93
 experimental details, 87–8
 plasma-protein adsorption studies, 88–92
 CaHA surface, 88–90
 LTI carbon surface, 90–1
 PU surface, 91–2
- Poly(2-acrylamido-2-methyl propane sulfate) (PAAMPS), bio-compatibility data, 48
- Polyalkylcyanoacrylate nanoparticles, 121–2, 132
- Polyanhydrides, effect of ultrasound on erosion, 156, 157, 158
- Polyanions
 biocompatibility, 47, 48, 49
 intraocular lenses constructed, 49
- Poly(bis(carboxylatophenoxy)-phosphazene) (PCPP)
 cell microencapsulation using, 6–7
 characteristics, 5
 degradation studies, 5
 PCPP-PLL membrane formed, 6–7
 synthesis, 4–5
 toxicity of calcium-crosslinked films, 5–6
- Poly(bis(*p*-carboxyphenoxy)methane), enhanced erosion, 156
- Polybutylcyanoacrylate nanoparticles, 132, 133
- Poly-ε-caprolactone (PCL), 143
 copolymers
 degradation, 145–6
 synthesis, 144–5
 degradation, 145
- Polycations, biocompatibility, 48
- Polydepsipeptides, 144
 copolymers with PCL, 144–5
- Polyesteramides
 PCL-based, 144
 degradation, 145–6
 kinetics of hydrolysis, 146
 synthesis, 144–5
- PLA-based, 144
 degradation, 144

- Polyesters, 7, 117
see also Poly(ethylene adipate); Poly(glycolic acid); Poly(lactic acid); Poly-L-lactide
- Poly(ether urethane)
 surface studies, 80–1
see also Biomer; Polyurethane
- Polyethylene
 in hip-joint prosthesis, 12
 in knee-joint ligament replacement, 13–14
 non-fouling surface treatment of, 41–5
 precoated with fibronectin, 104–6
 precoated with monoclonal antibodies, 104–6
see also High-molecular-weight...; Low-density polyethylene
- Poly(ethylene adipate) (PEA), CAP
 microspheres coated (together with trilaurin), 116–17
- Poly(ethylene glycol) (PEG), porous PU
 films prepared using, 62
- Poly(ethylene oxide) (PEO)
 adsorption/desorption on LDPE, 42
 gas discharge treatment, 42
 as non-fouling surface treatment, 41–5
 in polyether blends, 57, 58–9
- Poly(ethylene terephthalate)
 cardiovascular prostheses
 infection of, 149
 control by controlled-release antibiotics, 150–3
see also Dacron...
- Poly(glycolic acid) (PGA)
 hepatocyte-polymer scaffolds using, 8–9
 self-reinforced composites
 biodegradation, 38
 clinical applications, 36–7
 in-vivo properties, 37
 LFA/TSF clinical reactions, 38
 mechanical properties, 36
- Poly(2-hydroxy ethyl methacrylate) (PHEMA)
 biocompatibility data, 48
 composites with collagen, 19–20
 copolymer with DMAEMA
 biocompatibility data, 48
 insulin delivery system using, 138–42
 swelling behavior, 136–8
 copolymer with PEA, biocompatibility data, 48
 copolymer with sodium methacrylate
 biocompatibility data, 48
 intraocular lens constructed, 49
 diffusion in porous implants, 66
 properties, 19
 swelling behavior, 140
- Poly(α -hydroxy acids), 36
see also Poly(glycolic acid); Poly(lactic acid); Poly-L-lactide
- Poly(lactic acid) (PLA), 7
 copolymer (with glycine units), 144
 degradation, 144, 145
 nanocapsules/nanoparticles, 122–9
 analytical evaluation, 123
 anti-inflammatory activity
 evaluation, 124, 126–7, 128–9
 in-vitro release kinetics, 123, 124–5, 127
- Poly(lactic acid)—*contd.*
 nanocapsules/nanoparticles—*contd.*
 preparation, 122–3, 132
- Poly-D,L-lactide. *See* Poly(lactic acid) (PLA)
- Poly-L-lactide (PLLA)
 carbon-fiber-reinforced fracture plates, 13
 degradation *in vivo*, 24–5, 27
 hepatocytes attached to film, 8
 in-vivo evaluation
 experimental method, 22
 results, 24–5
 mechanical properties
 experimental methods, 22
 results, 24, 27
 molecular weights, 21–2
 self-reinforced composites
 in-vivo properties, 37
 mechanical properties, 36
 synthesis, 21
- Poly(L-lysine) (PLL), PCPP-PLL
 membrane formed, 6–7
- Polymer scaffolds, 7–9
 design requirements, 7–8
 in-vivo implantation studies, 8–9
 chondrocyte-polymer scaffolds, 9
 hepatocyte-polymer scaffolds, 8–9
 surface chemistries, 8
 vascularization of, 8–9
- Poly(methyl isopropenyl ketone) (PMiPrK), compared with acetone-oxygen plasma-deposited films, 78, 79
- Polymethylmethacrylate (PMMA)
 composite with collagen, 31
 nanoparticles, 132
 in orthopaedic implants, 12
- Polyphosphazene polymers, use for cell encapsulation, 4–7
- Poly(propylene oxide) (PPO), in polyether blends, 57
- Polysorbate 80, nanoparticle preparation using, 132–3
- Polystyrene (PS), 101
see also Tissue culture polystyrene
- Polysulfone prostheses, 12–13
- Polytetrafluoroethylene (PTFE) vascular grafts, 52
 endothelial seeding of, 52–5
- Poly(tetramethylene oxide) (PTMO), 57
 crosslinked
 blends with PEO, 58–9
 crystallinity, 59–60
 melting temperature, 59–60
 temperature effects on crosslinking density, 59
see also Tetrahydrofuran copolymers
- Polyurethane (PU)
 advantages in biomedical applications, 72, 95
 biodegradation, 95, 96, 98
 calcification studies, 62–8
 effect of water absorption, 65, 66
 sample preparation, 62
 compromise in properties, 95, 97
 hard/soft segments, 86, 87
 plasma-protein adsorption on to surface, 91–2
 silicone coated, vascular prostheses made from, 96–9
 surface studies, 80–1
- Polyurethane—*contd.*
 2-D PAGE studies of plasma-protein adsorption
 results, 91–2
 sample preparation, 87
see also Hypol FHP 2002
- Poly(vinyl acetate) (PVAc), compared with acetone-oxygen plasma-deposited films, 79
- Poly(vinyl alcohol) (PVA), compared with acetone-oxygen plasma-deposited films, 79
- Poly(vinyl methyl ketone) (PVMK), compared with acetone-oxygen plasma-deposited films, 78, 79
- Prealbumin, adsorption on to PU surface, 92
- Protein-repellent surfaces, 41
- Pulsed drug delivery systems, 155
- N-(1-Pyrrolidonyl)ethyl/acryl amide (PEA), copolymer with HEMA, biocompatibility data, 48
- Radio-frequency gas discharge (RFGD)
 LDPE/PEO treated by, 42
 results, 43–5
 schematic diagram of RF plasma reactor, 76
see also Plasma-deposited films
- Rashel HMWPE net implants, 14–16
- Reticuloendothelial system (RES), nanoparticles/liposomes removed by, 131
- Rigid plate fixation, disadvantages, 13, 21, 35
- Scaffold polymeric structures, 7–9
see also Polymer scaffolds
- Scanning electron microscopy (SEM), 75
 cellulose acetate phthalate microspheres, 116
 collagen-PMMA-polymer implants, 31–2
 ECM-coated vascular grafts, 53, 54
 silicone-polyurethane vascular grafts, 97, 98
- Scanning probe microscopy, 75, 76
 PU surface studied, 91
- Scanning tunneling microscopy (STM), 75, 76
 LTI carbon surface studied, 90
 schematic diagram, 74
- Secondary ion mass spectrometry (SIMS), 73, 75
 advantages, 75
 applications, 78, 79–80, 81
 information derived, 75
 schematic diagram, 74
 time-of-flight (TOF) technique used, 80
- Self-regulated drug delivery systems, 109–18, 135–42, 155
- Self-reinforced (SR) composites
 biodegradation, 37–8
 clinical applications, 36–7
 future development potential, 39
 in-vivo properties, 36, 37
 manufacture, 35–6
 mechanical properties, 36
- Sharpey (collagenous) fibers, 30
 artificial fibers, 14, 32

- Silicone rubber
 - applications, 96
 - PU vascular prostheses coated with, 96-9
- Sodium methacrylate (NaMA)
 - copolymer with HEMA
 - biocompatibility data, 48
 - intraocular lens constructed, 49
- Spinning process, polyurethane grafts made by, 96
- Spray-coating
 - apparatus used, 116
 - CAP microspheres coated with tri-laurin, 115-16
- Staphylococcus aureus*, effect of antibiotic on Dacron grafts, 150, 152, 153
- Surface characterization
 - examples of use, 77-81
 - methods, 72-7
 - contact-angle methods, 73-4, 75
 - electron microscopy for chemical analysis, 72-3, 75
 - scanning probe microscopy, 75, 76
 - secondary ion mass spectrometry, 73, 75
 - summary of characteristics, 75
 - vibrational spectroscopy methods, 75-6
 - rationale for using, 71
- Surfactants
 - body distribution of nanoparticles affected by, 132-3
 - non-fouling surfaces treated, 41-5
- Surgicel[®]
 - brain inflammation results, 166-7
 - corneal inflammation results, 165
 - source, 164
- Temporary fixation materials
 - PLA-carbon, 13
 - PLLA, 21-8
 - SR-PGA, 36-8
 - SR-PLLA, 36-8
- Tetrahydrofuran copolymers
 - crystallinity, 60
 - melting temperature, 60
 - preparation, 58
 - see also* Poly(tetramethylene oxide)
- Tissue culture polystyrene (TCPS),
 - proteins adsorbed on surface, 101, 103-4
- Tooth-bone system, 30
 - implant
 - description, 30
 - examination, 31-2
 - ligament-like tissue formed at interface, 32, 33
 - preparation, 31
- Transient sinus formation (TSF), reaction to SR-PGA implants, 38
- Trilaurin, 111
 - CAP microspheres coated with, 116
 - effect of enzyme, 117-18
 - naltrexone leakage data, 116, 117
 - PEA added, 116-17
 - enzymatic hydrolysis, 111
- Trimyristin, enzymatic hydrolysis, 111
- Tripalmitin, enzymatic hydrolysis, 111
- Tristearin, enzymatic hydrolysis, 111
- Triton surfactants, 42, 44, 52
- Tween 80, nanoparticle preparation using, 132-3
- Ultrasound, 155
 - absorption of energy by tissues, 156
 - contact media used, 156
- Ultrasound—*contd.*
 - diffusion enhanced by, 159-60
 - frequency ranges, 155
 - polymer erosion/degradation affected by, 156, 157
 - mechanisms, 158-9
 - wavelength calculation, 155
- Ultrasound-assisted drug delivery systems
 - implant activation, 156-7
 - transdermal delivery, 157-8, 159
 - mechanisms suggested, 159
- Vascular prostheses, 51-5, 57-60
 - Dacron, 149-53
 - endothelial seeded GORE-TEX, 51-5
 - polyether, 57, 60
 - requirements, 96
 - tetrahydrofuran copolymers, 60
 - see also* Cardiac prostheses
- Vibrational spectroscopy methods, 75-6
 - see also* Infrared spectroscopy
- Vroman effect, 85, 91
- Whole-organ transplantation,
 - limitations, 3
- X-ray photoelectron spectroscopy (XPS), 72
- Zygomatic fractures, PLA plates and screws used in treatment, 23, 26

